

Modu³ do logowania razem z forum

Autor: szymo93 - 2008/03/21 12:36

Witam!

Mam trochę dziwny problem otóż mam pomost do forum Joomla!-przemo. I za³ata³em domy³lny modu³ logowania i wszystko dzia³a jak nale³ży, ale chc³e korzystaæ z innego modu³u logowania i tu zaczyna si³e problem. Mam modu³ do logowania Core Design Login Form 1.0.1.pl i chcia³bym Źeby loguj±c si³e tym modu³em logowa³o si³e tak³e na forum(tak jak jest w domy³lnym module logowania). Próbowa³em zmieniaæ kod PHP tego modu³u ale nie bardzo mi to wychodzi:blush: Móg³by mi kto³ pomóc? By³bym bardzo wdzi³eczny.

Plik PHP z modu³em Core Design Login Form 1.0.1.pl (/modules/mod_cdlogin.php)

```
<?php
/**
 * Core Design Login Module based on Highslide JS, version 1.1.0, author Daniel Rataj
 *
 * @copyright Copyright (C) 2005 Open Source Matters. All rights reserved.
 * @license http://www.gnu.org/copyleft/gpl.html GNU/GPL, see LICENSE.php
 * Joomla! is free software. This version may have been modified pursuant
 * to the GNU General Public License, and as distributed it includes or
 * is derivative of works licensed under the GNU General Public License or
 * other free or open source software licenses.
 * See COPYRIGHT.php for copyright notices and details.
 */

// no direct access
defined( '_VALID_MOS' ) or die( 'Restricted access' );

global $mosConfig_frontend_login, $mosConfig_live_site;

if ( $mosConfig_frontend_login != NULL && ( $mosConfig_frontend_login === 0 || $mosConfig_frontend_login === '0' ) ) {
return;
}
/*****
funkcja mosHash - mieszanie
*****/
if (!function_exists('mosHash')) {
function mosHash( $seed ) {
return md5( $GLOBALS . md5( $seed ) );
}
}
/*****
funkcja josSpoofValue - antyoszukiwacz
*****/
if (!function_exists('josSpoofValue')) {
function josSpoofValue($salt=NULL) {
global $mainframe;

if ($salt) {
if ( $salt == 1 ) {
$random = date( 'Ymd' );
} else {
$random = $salt . date( 'Ymd' );
}
} else {
$random = date( 'dmY' );
}
// the prefix ensures that the hash is non-numeric
// otherwise it will be intercepted by globals.php
$validate = 'j' . mosHash( $mainframe->getCfg( 'db' ) . $random );

return $validate;
}
}

// url of current page that user will be returned to after login
```

```

if ($query_string = mosGetParam( $_SERVER, 'QUERY_STRING', '' )) {
$return = 'index.php?' . $query_string;
} else {
$return = 'index.php';
}

function cd_ifmambotload() {
global $database;

// load Highslide options from database
$query = "SELECT id, published"
. "\n FROM #__mambots"
. "\n WHERE element = 'coredesign'"
. "\n AND folder = 'system'"
;
$database->setQuery( $query );
$id = $database->loadResult();
$mambot = new mosMambot( $database );
$mambot->load( $id );
$params = new mosParameters( $mambot->params );

$param = $params->get( 'use_html', '0' );

if ( !$mambot->published )
echo '<div style="color: red">Core Design mambot nie zostaB opublikowany. </div>';
elseif ( !$param )
echo '<div style="color: red">Core Design mambot nie zostaB aktywowany. Sprawdź ustawienia bota!!! </div>';
return;
}

$registration_enabled = $mainframe->getConfig( 'allowUserRegistration' );
$message_login = $params->def( 'login_message', 0 );
$message_logout = $params->def( 'logout_message', 0 );
$login = $params->def( 'login', $return );
$logout = $params->def( 'logout', $return );
$name = $params->def( 'name', 1 );
$greeting = $params->def( 'greeting', 1 );
$pretext = $params->get( 'pretext' );
$posttext = $params->get( 'posttext' );
$posttext_style = $params->get( 'posttext_style', 0 );

//Highslide option
$moduletitle = $params->get( 'moduletitle' );
$closetitle = $params->get( 'closetitle' );
$mod_cdlogin_createaccount = $params->get( 'mod_cdlogin_createaccount' );
$mod_cdlogin_lostpassword = $params->get( 'mod_cdlogin_lostpassword' );
$mod_cdlogin_confirmlogout = $params->get( 'mod_cdlogin_confirmlogout' );
$mod_cdlogin_displayauthor = $params->get( 'mod_cdlogin_displayauthor', 1 );

$posttext_style = 1;
?>
<?php if ( $my->id ) {
// Logout output
// ie HTML when already logged in and trying to logout
if ( $name ) {
$name = $my->name;
} else {
$name = $my->username;
} ?>

<?php cd_ifmambotload(); ?>

<style type="text/css">@import "<?php echo $mosConfig_live_site; ?>/modules/mod_cdlogin/mod_cdlogin.css";</style>
<div class="mod_cdlogin-logout-border-top"></div>
<div style="clear: both"></div>

```

```

<div class="mod_cdlogin-logout-greeting">

<?php
if ( $greeting ) {
echo _HI;
echo "<strong>";
echo $name;
echo "</strong>";
}
?>

</div>
<div>
<a href="#" onclick="return hs.htmlExpand(this, { contentId: 'highslide-html-logoutform' } )" class="mod_cdlogin-logouttitle" title="<?php echo _BUTTON_LOGOUT; ?>">
<span> </span></a>
<div class="highslide-html-content" id="highslide-html-logoutform">
<div class="highslide-html-content-header">
<div class="highslide-move" title="">
<a href="#" onclick="return hs.close(this)" class="control" title="<?php echo $closelabel ?>"><?php echo $closelabel ?></a>
</div>
</div>
<div class="highslide-body">
<p class="mod_cdlogin-bold"><?php echo $mod_cdlogin_confirmlogout ?> </p>
<div class="mod_cdlogin-logoutform"><form action="<?php echo sefRelToAbs( 'index.php?option=logout' ); ?>" method="post" name="logout">
<input type="submit" name="Submit" class="mod_cdlogin-logoutbutton" title="<?php echo _BUTTON_LOGOUT; ?>" value="<?php echo _BUTTON_LOGOUT; ?>" />

<input type="hidden" name="option" value="logout" />
<input type="hidden" name="op2" value="logout" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $logout ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_logout ); ?>" />
</form>
</div>
</div>
</div>
</div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-border-bottom"></div>
<?php
} else {
// Login output
// ie HTML when not logged in and trying to login
// used for spoof hardening
$validate = josSpoofValue(1);
?>
<?php cd_ifmambotload(); ?>
<style type="text/css">@import "<?php echo $mosConfig_live_site; ?>/modules/mod_cdlogin/mod_cdlogin.css";</style>
<div class="mod_cdlogin-logout-border-top"></div>
<div style="clear: both"></div>
<div class="mod_cdlogin-login-box">
<div class="mod_cdlogin-login-mini"></div>
<a href="#" onclick="return hs.htmlExpand(this, { contentId: 'highslide-html-loginform' } )" title="<?php echo $moduletitle ?>"><?php echo $moduletitle ?> </a>
</div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-border-bottom"></div>

<div class="highslide-html-content" id="highslide-html-loginform">
<div class="highslide-html-content-header">
<div class="highslide-move" title="">

```

```

<a href="#" onclick="return hs.close(this)" class="control" title="<?php echo $closeslabel ?>"><?php echo $closeslabel
?></a>
</div>
</div>
<div class="highslide-body">

<form action="<?php echo sefRelToAbs( 'index.php' ); ?>" method="post" name="loginForm" >
<?php
echo $pretext;
?>
<table width="100%" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td>
<label for="mod_login_username">
<?php echo _USERNAME; ?>
</label>
<br />
<input name="username" id="mod_cdlogin_username" type="text" class="inputbox" alt="username" size="10" />
<br />
<label for="mod_login_password">
<?php echo _PASSWORD; ?>
</label>
<br />
<input type="password" id="mod_cdlogin_password" name="passwd" class="inputbox" size="10" alt="password" />
<br />
<div class="mod_cdlogin-form-submit">
<div class="mod_cdlogin-form-input">
<input type="checkbox" name="remember" id="mod_cdlogin_remember" class="inputbox" value="yes" alt="<?php echo
_REMEMBER_ME; ?>" title="<?php echo _REMEMBER_ME; ?>" />
<label for="mod_login_remember">
<?php echo _REMEMBER_ME; ?>
</label>
</div>
<input type="submit" name="Submit" class="mod_cdlogin-loginbutton" title="<?php echo _BUTTON_LOGIN; ?>"
value="" />
</div>
</td>
</tr>
<tr>
<td>
<div style="text-align: center; padding-top: 10px">
<div style="margin: 0 auto">
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=lostPassword' ); ?>" title="<?php
echo $mod_cdlogin_lostpassword; ?>" class="mod_cdlogin-lostpassword"><?php echo $mod_cdlogin_lostpassword; ?>
</a><span style="padding-left: 15px">
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=register' ); ?>" title="<?php echo
$mod_cdlogin_createaccount; ?>" class="mod_cdlogin-createaccount"><?php echo $mod_cdlogin_createaccount; ?>
</a>
</div>
</div>
</td>
</tr>
<?php
if ( $registration_enabled ) {
?>
<tr>
<td>

</td>
</tr>
<?php
}
?>
</table>
<div class="mod_imglogin"></div>

```

```

<?php
if ($posttext != "") {
if ($posttext_style == 1) {
?>
<div style="border: 1px solid rgb(128, 128, 128); padding: 2px;">
<?php echo $posttext; ?>
</div>
<?php
} else {
echo $posttext;
}
}
?>

<input type="hidden" name="option" value="login" />
<input type="hidden" name="op2" value="login" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $login ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_login ); ?>" />
<input type="hidden" name="force_session" value="1" />
<input type="hidden" name="<?php echo $validate; ?>" value="1" />
</form>
</div>
<?php if ($mod_cdlogin_displayauthor) { ?>
<div class="mod_cdtitle-designed">Designed by <a href="http://www.communicationpro.org"
title="http://www.communicationpro.org" target="_blank">www.communicationpro.org</a> </div>
<?php } return; ?>
</div>
<?php
}
?>

```

I plik z domyślnym modułem logowania po załadowaniu:

```

<?php
/**
 * @version $Id: mod_login.php 7211 2007-04-29 02:26:51Z robs $
 * @package Joomla
 * @copyright Copyright (C) 2005 Open Source Matters. All rights reserved.
 * @license http://www.gnu.org/copyleft/gpl.html GNU/GPL, see LICENSE.php
 * Joomla! is free software. This version may have been modified pursuant
 * to the GNU General Public License, and as distributed it includes or
 * is derivative of works licensed under the GNU General Public License or
 * other free or open source software licenses.
 * See COPYRIGHT.php for copyright notices and details.
 */

// no direct access
defined( '_VALID_MOS' ) or die( 'Restricted access' );

global $mosConfig_frontend_login;

if ( $mosConfig_frontend_login != NULL && ( $mosConfig_frontend_login === 0 || $mosConfig_frontend_login === '0') ) {
return;
}

// url of current page that user will be returned to after login
if ($query_string = mosGetParam( $_SERVER, 'QUERY_STRING', '' )) {
$return = 'index.php?' . $query_string;
} else {
$return = 'index.php';
}

$registration_enabled = $mainframe->getCfg( 'allowUserRegistration' );

```

```
$message_login = $params->def( 'login_message', 0 );
$message_logout = $params->def( 'logout_message', 0 );
$login = $params->def( 'login', $return );
$logout = $params->def( 'logout', $return );
$name = $params->def( 'name', 1 );
$greeting = $params->def( 'greeting', 1 );
$pretext = $params->get( 'pretext' );
$posttext = $params->get( 'posttext' );
```

```
if ( $my->id ) {
// Logout output
// ie HTML when already logged in and trying to logout
if ( $name ) {
$name = $my->name;
} else {
$name = $my->username;
}
?>
```

```
<?php
//joomla<->przemo start
$query = "SELECT par_value FROM #__jp_config WHERE par_name='forum_live'";
$database->setQuery( $query );
$forum_path_inlcude = $database->loadResult(); ?>
<form action="<?php echo $forum_path_inlcude; ?>/login.php" name="login" method="post" >
<?php //joomla<->przemo end ?>
```

```
<?php
if ( $greeting ) {
echo _HI;
echo $name;
}
?>
<br />
```

```
<div align="center">
<input type="submit" name="Submit" class="button" value="<?php echo _BUTTON_LOGOUT; ?>" />
</div>
```

```
<input type="hidden" name="logout_phpbb" value="yes" />
<input type="hidden" name="option" value="logout" />
<input type="hidden" name="op2" value="logout" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $logout ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_logout ); ?>" />
</form>
```

```
<?php
} else {
// Login output
// ie HTML when not logged in and trying to login
// used for spoof hardening
$validate = josSpoofValue(1);
?>
```

```
<?php //joomla<->przemo start
$query = "SELECT par_value FROM #__jp_config WHERE par_name='forum_live'";
$database->setQuery( $query );
$forum_path_inlcude = $database->loadResult(); ?>
<form action="<?php echo $forum_path_inlcude; ?>/login.php" method="post" name="login" >
<?php //joomla<->przemo end ?>
```

```
<?php
echo $pretext;
?>
```

```

<table width="100%" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td>
<label for="mod_login_username">
<?php echo _USERNAME; ?>
</label>
<br />
<input name="username" id="mod_login_username" type="text" class="inputbox" alt="<?php echo _USERNAME; ?>"
size="10" />
<br />
<label for="mod_login_password">
<?php echo _PASSWORD; ?>
</label>
<br />
<input type="password" name="password" class="inputbox" size="10" alt="password" />
<input type="hidden" id="mod_login_password" name="passwd" class="inputbox" size="10" alt="<?php echo
_PASSWORD; ?>" />
<br />
<input type="checkbox" name="remember" id="mod_login_remember" class="inputbox" value="yes" alt="<?php echo
_REMEMBER_ME; ?>" />
<label for="mod_login_remember">
<?php echo _REMEMBER_ME; ?>
</label>
<br />
<input type="submit" class="mainoption" name="login" value="Login" />
</td>
</tr>
<tr>
<td>
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=lostPassword' ); ?>">
<?php echo _LOST_PASSWORD; ?></a>
</td>
</tr>
<?php
if ( $registration_enabled ) {
?>
<tr>
<td>
<?php echo _NO_ACCOUNT; ?>
<a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=register' ); ?>">
<?php echo _CREATE_ACCOUNT; ?></a>
</td>
</tr>
<?php
}
?>
</table>
<?php
echo $posttext;
?>

<input type="hidden" name="option" value="login" />
<input type="hidden" name="op2" value="login" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $login ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_login ); ?>" />
<input type="hidden" name="force_session" value="1" />
<input type="hidden" name="<?php echo $validate; ?>" value="1" />
</form>
<?php
}
?>

```

Z góry wielkie dzięki!
Pozdrawiam

szymo

Odp:Modu³ do logowania razem z forum

Autor: Jokris - 2008/03/21 18:43

B) W ten Wielki Piątek mógłby¶ uzupełniæ stopkê, bo ja w³a¶nie 2 godziny, z przerwami na kawê próbowa³em adoptowaæ modu³ do wspó³pracy z Forum phpBB. A mógłbym w tym czasie malowaæ pisanki. Daj z siebie chocia¿ tyle.:cheer:
B) Jak pisa³em wy¿ej, zmodyfikowa³em nieco modu³ Core Design Login Form 1.0.1.pl. Poni¿ej dam Ci kod, aby¶ prze¶ledzi³ sobie co zmieni³em. Przyznam siê szczerze, ¿e nie testowa³em go przy zainstalowanym Forum phpBB, bo nie mam go, ale pracuje ju¿ ta zmodyfikowana wersja modu³u na mojej stronie. Ca³a rzecz polega na tym, ¿e modu³ sprawdza, czy jest zainstalowany pomost, komponent com_j-p, i dopiero prze³acza siê w tryb wspó³pracy z mostkiem. Tak ¿e, pozostaje jedynie Ci przetestowaæ modu³. Zrób kopiê orygina³u, i napisz plikiem z za³¿cznika. Nie kopiuj kodu z pola poni¿ej. Nie nale¿y tego robiæ przy takiej ilo¶ci kodu, bo Forum FireBoard prze³amuje linie, i mia³by¶ na stronie b³êdy. Poni¿ej kod, a pod nim plik do pobrania. Odpisz czy dzia³a, to wówczas podmieniê go w plikowni. Wprowadzi³em kilka zmian w pliku XML modu³u, ale na razie nie ma to znaczenia dla pracy Twojego modu³u. Pozdrawiam. Jokris.

```
<?php
/**
 * Core Design Login Module based on Highslide JS, version 1.1.0, author Daniel Rataj
 *
 * @copyright Copyright (C) 2005 Open Source Matters. All rights reserved.
 * @license http://www.gnu.org/copyleft/gpl.html GNU/GPL, see LICENSE.php
 * Joomla! is free software. This version may have been modified pursuant
 * to the GNU General Public License, and as distributed it includes or
 * is derivative of works licensed under the GNU General Public License or
 * other free or open source software licenses.
 * See COPYRIGHT.php for copyright notices and details.
 */

// no direct access
defined( '_VALID_MOS' ) or die( 'Restricted access' );

global $mosConfig_frontend_login, $mosConfig_live_site;

if ( $mosConfig_frontend_login != NULL && ( $mosConfig_frontend_login === 0 || $mosConfig_frontend_login === '0') ) {
    return;
}
/*****
funkcja mosHash - mieszanie
*****/
if (!function_exists('mosHash')) {
function mosHash( $seed ) {
return md5( $GLOBALS . md5( $seed ) );
}
}
/*****
funkcja josSpoofValue - antyoszukiwacz
*****/
if (!function_exists('josSpoofValue')) {
function josSpoofValue($salt=NULL) {
global $mainframe;

if ($salt) {
if ( $salt == 1 ) {
$random = date( 'Ymd' );
} else {
$random = $salt . date( 'Ymd' );
}
} else {
$random = date( 'dmY' );
}
}
}
```



```

// the prefix ensures that the hash is non-numeric
// otherwise it will be intercepted by globals.php
$validate = ']' . mosHash( $mainframe->getCfg( 'db' ) . $random );

return $validate;
}
}

// url of current page that user will be returned to after login
if ( $query_string = mosGetParam( $_SERVER, 'QUERY_STRING', '' ) ) {
    $return = 'index.php?' . $query_string;
} else {
    $return = 'index.php';
}

function cd_ifmambotload() {
    global $database;

    // load Highslide options from database
    $query = "SELECT id, published"
        . "\n FROM #__mambots"
        . "\n WHERE element = 'coredesign'"
        . "\n AND folder = 'system'"
        ;
    $database->setQuery( $query );
    $id = $database->loadResult();
    $mambot = new mosMambot( $database );
    $mambot->load( $id );
    $params = new mosParameters( $mambot->params );

    $param = $params->get( 'use_html', '0' );

    if ( !$mambot->published )
        echo '<div style="color: red">Core Design mambot nie zostaB opublikowany. </div>';
    elseif ( !$param )
        echo '<div style="color: red">Core Design mambot nie zostaB aktywowany. Sprawdz ustawienia bota!!! </div>';
    return;
}

$registration_enabled = $mainframe->getCfg( 'allowUserRegistration' );
$message_login = $params->def( 'login_message', 0 );
$message_logout = $params->def( 'logout_message', 0 );
$login = $params->def( 'login', $return );
$logout = $params->def( 'logout', $return );
$name = $params->def( 'name', 1 );
$greeting = $params->def( 'greeting', 1 );
$pretext = $params->get( 'pretext' );
$posttext = $params->get( 'posttext' );
$posttext_style = $params->get( 'posttext_style', 1 );
$colorborder = $params->get( 'colorborder', '#808080' );

//Highslide option
$moduletitle = $params->get( 'moduletitle' );
$closetlabel = $params->get( 'closetlabel' );
$mod_cdlogin_createaccount = $params->get( 'mod_cdlogin_createaccount' );
$mod_cdlogin_lostpassword = $params->get( 'mod_cdlogin_lostpassword' );
$mod_cdlogin_confirmlogout = $params->get( 'mod_cdlogin_confirmlogout' );
$mod_cdlogin_displayauthor = $params->get( 'mod_cdlogin_displayauthor', 1 );
$phpbb_mostpath = $GLOBALS.'/administrator/components/com_j-p/admin.j-p.php';
?>
<?php if ( $my->id ) {
// Logout output
// ie HTML when already logged in and trying to logout
if ( $name ) {
    $name = $my->name;

```

```

} else {
    $name = $my->username;
} ?>

<?php cd_ifmambotload(); ?>

<style type="text/css">@import "<?php echo $mosConfig_live_site; ?>/modules/mod_cdlogin/mod_cdlogin.css";</style>
<div class="mod_cdlogin-logout-border-top"></div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-greeting">

    <?php
    if ( $greeting ) {
        echo _HI;
        echo "<strong>";
        echo $name;
        echo "</strong>";
    }
    ?>

</div>
<div>
<a href="#" onclick="return hs.htmlExpand(this, { contentId: 'highslide-html-logoutform' } )" class="mod_cdlogin-
logouttitle" title="<?php echo _BUTTON_LOGOUT; ?>">
<span> </span></a>
<div class="highslide-html-content" id="highslide-html-logoutform">
    <div class="highslide-html-content-header">
        <div class="highslide-move" title="">
            <a href="#" onclick="return hs.close(this)" class="control" title="<?php echo $closeslabel ?>"><?php echo $closeslabel
?></a>
        </div>
    </div>
    <div class="highslide-body">
        <p class="mod_cdlogin-bold"><?php echo $mod_cdlogin_confirmlogout ?> </p>
        <div class="mod_cdlogin-logoutform">
            <?php
            /*****
            sprawdzamy istnienie komponentu com_j-p
            *****/
            if (file_exists($phpbb_mostpath)) {
            /*****
            joomla<->przemo start
            *****/
                $query = "SELECT par_value FROM #__jp_config WHERE par_name='forum_live'";
                $database->setQuery( $query );
                $forum_path_include = $database->loadResult(); ?>
                <form action="<?php echo $forum_path_include; ?>/login.php" name="login" method="post" >
            <?php
                $pole_phpbb = '<input type="hidden" name="logout_phpbb" value="yes" />';
            /*****
            joomla<->przemo end
            *****/
                } else {
                    $pole_phpbb = "";
                }
            ?>
                <form action="<?php echo sefRelToAbs( 'index.php?option=logout' ); ?>" method="post" name="logout">
            <?php ?>
                <input type="submit" name="Submit" class="mod_cdlogin-logoutbutton" title="<?php echo _BUTTON_LOGOUT; ?>"
                value="<?php echo _BUTTON_LOGOUT; ?>" />
            <?php echo $pole_phpbb; ?>
                <input type="hidden" name="option" value="logout" />
                <input type="hidden" name="op2" value="logout" />
                <input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
                <input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $logout ) ); ?>" />
                <input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_logout ); ?>" />

```

```

</form>
</div>
</div>
</div>
</div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-border-bottom"></div>
<?php
} else {
// Login output
// ie HTML when not logged in and trying to login
// used for spoof hardening
$validate = josSpoofValue(1);
?>
<?php cd_ifmambotload(); ?>
<style type="text/css">@import "<?php echo $mosConfig_live_site; ?>/modules/mod_cdlogin/mod_cdlogin.css";</style>
<div class="mod_cdlogin-logout-border-top"></div>
<div style="clear: both"></div>
<div class="mod_cdlogin-login-box">
<div class="mod_cdlogin-login-mini"></div>
<a href="#" onclick="return hs.htmlExpand(this, { contentId: 'highslide-html-loginform' } )" title="<?php echo
$moduletitle ?>"><?php echo $moduletitle ?> </a>
</div>
<div style="clear: both"></div>
<div class="mod_cdlogin-logout-border-bottom"></div>

<div class="highslide-html-content" id="highslide-html-loginform">
<div class="highslide-html-content-header">
<div class="highslide-move" title="">
<a href="#" onclick="return hs.close(this)" class="control" title="<?php echo $closeslabel ?>"><?php echo $closeslabel
?></a>
</div>
</div>
<div class="highslide-body">
<?php
/*****
sprawdzamy istnienie komponentu com_j-p
*****/
if (file_exists($phpbb_mostpath)) {
/*****
joomla<->przemo start
*****/
$query = "SELECT par_value FROM #__jp_config WHERE par_name='forum_live'";
$database->setQuery( $query );
$forum_path_include = $database->loadResult(); ?>
<form action="<?php echo $forum_path_include; ?>/login.php" method="post" name="login" >
<?php
/*****
joomla<->przemo end
*****/
} else { ?>
<form action="<?php echo sefRelToAbs( 'index.php' ); ?>" method="post" name="loginForm" >
<?php } ?>
<?php
echo $pretext;
?>
<table width="100%" border="0" cellspacing="0" cellpadding="0" align="center">
<tr>
<td>
<label for="mod_login_username">
<?php echo _USERNAME; ?>
</label>
<br />
<input name="username" id="mod_cdlogin_username" type="text" class="inputbox" alt="username" size="10" />
<br />

```

```

<label for="mod_login_password">
  <?php echo _PASSWORD; ?>
</label>
<br />
<input type="password" id="mod_cdlogin_password" name="passwd" class="inputbox" size="10" alt="password" />
<br />
<div class="mod_cdlogin-form-submit">
  <div class="mod_cdlogin-form-input">
    <input type="checkbox" name="remember" id="mod_cdlogin_remember" class="inputbox" value="yes" alt="<?php
echo _REMEMBER_ME; ?>" title="<?php echo _REMEMBER_ME; ?>" />
    <label for="mod_login_remember">
      <?php echo _REMEMBER_ME; ?>
    </label>
  </div>
  <input type="submit" name="Submit" class="mod_cdlogin-loginbutton" title="<?php echo _BUTTON_LOGIN; ?>"
value="" />
</div>
</td>
</tr>
<tr>
<td>
  <div style="text-align: center; padding-top: 10px">
    <div style="margin: 0 auto">
      <a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=lostPassword' ); ?>" title="<?php
echo $mod_cdlogin_lostpassword; ?>" class="mod_cdlogin-lostpassword"><?php echo $mod_cdlogin_lostpassword; ?>
</a><span style="padding-left: 15px">
      <a href="<?php echo sefRelToAbs( 'index.php?option=com_registration&task=register' ); ?>" title="<?php echo
$mod_cdlogin_createaccount; ?>" class="mod_cdlogin-createaccount"><?php echo $mod_cdlogin_createaccount; ?>
</a>
    </div>
  </div>
</td>
</tr>
<?php
if ( $registration_enabled ) {
  ?>
  <tr>
  <td>

  </td>
</tr>
<?php
}
?>
</table>
<div class="mod_imglogin"></div>
<?php
if ($posttext != "") {
  if ($posttext_style == 1) {
  ?>
    <div style="border: 1px solid <?php echo $colorborder; ?>; padding: 2px;">
      <?php echo $posttext; ?>
    </div>
  <?php
  } else {
echo $posttext;
  }
}
?>

<input type="hidden" name="option" value="login" />
<input type="hidden" name="op2" value="login" />
<input type="hidden" name="lang" value="<?php echo $mosConfig_lang; ?>" />
<input type="hidden" name="return" value="<?php echo htmlspecialchars( sefRelToAbs( $login ) ); ?>" />
<input type="hidden" name="message" value="<?php echo htmlspecialchars( $message_login ); ?>" />

```

```
<input type="hidden" name="force_session" value="1" />
<input type="hidden" name="<?php echo $validate; ?>" value="1" />
</form>
</div>
<?php if ($mod_cdlogin_displayauthor) { ?>
<div class="mod_cdtitle-designed">Designed by <a href="http://www.communicationpro.org"
title="http://www.communicationpro.org" target="_blank">www.communicationpro.org</a> </div>
<?php } return; ?>
</div>
<?php
}
?>
```

http://www.jokris.info/components/com_fireboard/uploaded/files/mod_cdlogin_phpbb.zip

Odp:Modu³ do logowania razem z forum

Autor: szymo93 - 2008/03/22 09:51

Witam!

Wielkie dziękuję Ci się bardzo;))

A więc tak:

Loguję się na pierwszy rzut oka wszystko działa tzn. modu³ przekierowuje mnie do strony z forum ale nie loguje mnie na niej ani na stronie z Joomla¹ tylko wyskakuje mi alert: "Uzupełnij pola: Nazwa użytkownika(login) i Hasło."

Zresztą sam zobacz: <http://szymo.freens.pl>

Użytkownik: test

Hasło: test

Pozdrawiam

szymo

P.S.

Sorry że nie uzupełniłem stopki:blush: Ale jakoś nie miałem do tego głowy:P

Już uzupełniam:laugh:
